

Scale Dependence of Branching in Arterial and Bronchial Trees

- E. V. Rieuwpaal, ^{1,2,*} M. J. Heulemans, ^{1,3} and J. H. van den Hul, ^{2,4}
- ¹*Institute for Regenerative Medicine, Department of Cell Biology, University of Groningen, Groningen, The Netherlands*
- ²*Department of Pathology, University of Groningen, Groningen, The Netherlands*
- ³*Department of Pathology, University of Groningen, Groningen, The Netherlands*
- ⁴*Institute for Regenerative Medicine, Department of Cell Biology, University of Groningen, Groningen, The Netherlands*

DOI: 10.1103/PhysRevE.612.101

$f(x) = \frac{1}{x^2}$ for $x > 0$. $f(1) = 1$, $f(3) = \frac{1}{9}$. $\int_1^3 f(x) dx = \int_1^3 \frac{1}{x^2} dx = \left[-\frac{1}{x} \right]_1^3 = -\frac{1}{3} + 1 = \frac{2}{3}$.

$f(x) = \frac{1}{x^2}$ for $x > 0$. $f(1) = 1$, $f(3) = \frac{1}{9}$. $\int_1^3 f(x) dx = \int_1^3 \frac{1}{x^2} dx = \left[-\frac{1}{x} \right]_1^3 = -\frac{1}{3} + 1 = \frac{2}{3}$.

... f ... r ... r ... r. T ...
... r ... r. 2. ...
... f ... r, ...
... w ... r ... f ...
... f ... r ... r ... r ...
... r ... r. T ...
... f ... r ... r ... r ...
... T ... f ... r ... r ...
... f ... r ... r ... r ...
... T ... f ... r ... r ...
... r ... r ... f ... r ... r ...
... r ... r ... f ... r ... r ...
... f ... r ... r ... r ...
... r ... r ... f ... r ... r ...
... f ... r ... r ... r ...
... r ... r ... r ... r ...
... r ... r ... r ... r ...

... w ... r ... f ... r ...
... r ... r ... w ... r ...
... r ... r ... f ... r ... r ...
... r ... r ... -53.